



**SIGMA10C**

Dimensions (mm)	External	Internal
Height	1232	
Width	1055	
Depth	110	
Capacity (ltr)		
Gross		459
Net		409



**SIGMA13C**

Dimensions (mm)	External	Internal
Height	1232	
Width	1305	
Depth	1100	
Capacity (ltr)		
Gross		577
Net		514



**SIGMA15C**

Dimensions (mm)	External	Internal
Height	1232	
Width	1525	
Depth	1100	
Capacity (ltr)		
Gross		681
Net		606



**SIGMA20C**

Dimensions (mm)	External	Internal
Height	1232	
Width	2025	
Depth	1100	
Capacity (ltr)		
Gross		917
Net		816



**SIGMA25C**

Dimensions (mm)	External	Internal
Height	1232	
Width	2525	
Depth	1100	
Capacity (ltr)		
Gross		1152
Net		1026

## Features


- Curved glass hinged forward for cleaning
- Stainless steel backshelf
- Anodised aluminium profiles
- Illumination under top canopy
- Refrigerated under storage
- Intermediate glass shelf as standard
- Rear sliding perspex doors
- Adjustable feet




## Technical Specification

	SIGMA10C	SIGMA13C	SIGMA15C	SIGMA20C	SIGMA25C
Temperature Range	+0°C~+8°C	+0°C~+8°C	+0°C~+8°C	+0°C~+8°C	+0°C~+8°C
Climate Class	3	3	3	3	3
Power Supply	13amp	13amp	13amp	13amp	13amp
Cooling	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Defrost	Automatic	Automatic	Automatic	Automatic	Automatic
Noise Level	48db	52db	54db	54db	56db
Refrigerant	R290	R290	R290	R290	R290
Energy Consumption (kw/24hrs)	7.86	8.98	11.48	14.82	15.87
Power Usage (w)	856	919	1093	1310	1373
Weight (kg)	170	185	205	233	283


### SIGMA10C




### SIGMA13C



### SIGMA15C



### SIGMA20C



### SIGMA25C

